



HOME



OFFICE

SECURITY SOLUTIONS

Wireless security
the winning move



MOVI
The new radio-controlled
security system
with bi-directional technology.

urmet



WIRELESS BURGLAR ALARM



Bi-directional technology.
Your move to a world
without wires.

MOVI by Urmet is the winning move in wireless security. With MOVI's bi-directional technology all the bugbears that afflict communications between control units and peripherals have been ironed out. Because MOVI communication is wholly bi-directional, meaning greater security and lower battery consumption: all system devices both transmit and receive, remaining permanently in touch with the control unit and double-checking communications in real time. Now you know what makes MOVI the most innovative and safe radio-controlled system there is. And going wireless is the ideal choice for flexibility, ease of installation and reliability. Not least because with MOVI there's no need to redecorate walls and insert wiring in order to install the control unit and peripherals - that's a big advantage in a new houses and an enormous one if the house is already furnished.

The communications technology in MOVI lets you to partition the system to suit any type of building and can handle separate signals for 6 different types of event. So not just anti-intrusion, but technical alarms and emergency calls too.

MOVI.



Control unit and keypad. Total versatility.



Thanks to its Control Unit and supplementary Keypad, MOVI offers a control system that is fully comprehensive as well as easy to operate and program. Once the control unit has been installed out of view, the supplementary keypad can be positioned in a more practical location - its compact dimensions make for a more discreet overall effect.

The technical specification offers the best in bi-directional wireless technology. The microprocessor-powered control unit, with integrated display and keypad control, is a multifunction unit with separate management of different types of events such as intrusion, fire, technical alarms and emergencies. The unit features an integrated siren (100 dB at 3 metres). The keypad programming menu is totally intuitive. The control unit allows for partitioning in up to 4 zones, fully configurable from keypad or remote control, and can host up to 32 radio sensors.


The functional supplementary control keypad is backlit and offers an ergonomic, easy-to-read display, while lithium batteries will last up to 3 years without replacement.

Unobstructed range is up to 500 metres and the access code can be composed of 4-6 figures. A LED warning light indicates the status of the control unit, which is tamper proof (case opening or removal).

MOVI, THE COMMUNICATOR, BY URMET

The innovative technology behind the MOVI system allows new and interesting functions to be activated and controlled. MOVI can be integrated with a security communicator in either PSTN, with modem, or GSM Dual Band. With PSTN, the system can be activated and deactivated by landline telephone via pre-recorded voice messages or numeric protocol. Six phone numbers are programmable with speech synthesis

messages. The GSM module has an incorporated antenna and alarm messages may be either vocal or SMS. Alarm messages can be sent to security organizations via the normal protocols as well as emergency and panic calls, and the two remotely operated relay outputs can be controlled. MOVI is the only fully comprehensive radio system ready to respond to the demands of home automation now and in the future.



| | | |
|------------------|----------------------|---|
| KIT | Ref. 1057/901 | <p>MOVI anti-intrusion kit</p> <p>The kit contains:</p> <p>1057/008: one control unit</p> <p>1057/101: one passive infrared sensor</p> <p>1057/201: one magnetic contact</p> <p>1057/035: one 5-button remote control</p> |
| CONTROLS | Ref. 1057/008 | Control unit |
| | Ref. 1057/033 | 3-button remote control |
| | Ref. 1057/035 | 5-button remote control |
| | Ref. 1057/025 | Supplementary control keypad |
| SENSORS | Ref. 1057/101 | Passive infrared sensor |
| | Ref. 1057/201 | Aperture detector (white) |
| | Ref. 1057/202 | Aperture detector (brown) |
| ACTUATORS | Ref. 1057/405 | Independently powered external siren |
| | Ref. 1057/002 | PSTN communicator module with modem |
| | Ref. 1057/458 | GSM module for control unit 1057/008 |
| BATTERIES | Ref. 1057/612 | 3.6V 14Ah lithium battery |
| | Ref. 1057/613 | 3V lithium battery |

**Ref. 1057/901****Ref. 1057/008****Ref. 1057/405****Ref. 1057/458****URMET DOMUS S.p.A.**

10154 Torino (ITALY) Via Bologna, 188/C
Switchboard Telef. +39 011.24.00.000

Export dept. Telef. +39 011.24.00.250/256 Fax +39 011.24.00.296
www.urmetdomus.com • info@urmetdomus.it

Urmet Domus S.p.A. reserves the right to change
the features of the illustrated products.
This publication is not contractually binding.



urmet